BASEMENT & FOUNDATIONS

Walls:

3000 PSI; 7'-10" poured concrete, damproofing included

Trench Footings:

2500 PSI

Basement Window:

One Egress Window

Basement Floor:

4" 2500 PSI Concrete, with a six mil vapor barrier over peastone

FRONT PORCH

Poured concrete decking. Wood posts per plan painted to match

exterior trim

FLOOR FRAMING

Floors:

Conventional wood joists #2SPF; sizes per plan

Sub-floor:

3/4" tongue and groove OSB glued, nailed and screwed

WALL FRAMING

Exterior Walls:

Sheathing:

Conventional 2x4 studs on exterior walls, 16" O.C. throughout 7/16" OSB sheathing wrapped with house wrap vapor barrier

SIDING

Vinyl Siding:

As shown on elevations, shall be double 5" type per builder's

standards and color palette

Cultured Stone Siding:

As shown on elevations, front only. Shall be chosen from

builders standards and color palette

EXTERIOR TRIM

Fascia & Trim:

Soffits:

Wrapped in aluminum trim, maintenance-free

Vinyl, maintenance-free soffit vents

WINDOWS & PATIO DOORS

Windows & Screens:

White double-glazed Jeld-Wen Builders Series vinyl windows

per plan. Screens provided on all operating windows.

GARAGE & GARAGE DOORS

Garage:

Two car front-entry garage (per plan); One – 16' x 7' raised

panel, metal, sectional overhead door

Garage Opener:

Pre-wired for future door opener installation

Garage Floor:

4" 2500 PSI concrete, over sand fill

Garage Walls:

Drywall and taped on common walls to living area and ceiling

EXTERIOR DOORS

Main entry: Rear Door:

3'0"x 6'8" steel insulated raised panel door w/sidelights per plan

2'8" swing door or white sliding glass door per plan

Garage to House:

2'8" x 6'8" steel insulated raised panel door

Client Initials

n	0	1	T	T	MI	~
ĸ	O	v	r	1	I	U

Framing:

Pre-engineered trusses 24" O.C. per plan. All trusses covered

with 7/16" O.S.B. sheathing with ply-clips

Shingles:

Certainteed self-sealing, 30 year dimensional asphalt shingles or

equivalent with 15# asphalt felt covering entire roof

Valleys:

90# rolled roofing

Eaves:

Water guard as required

Roof/Soffit Vents:

Per plan

INSULATION

Exterior Walls:

Nu-Wool cellulose blown in with R-value 13

Ceilings:

Nu-Wool cellulose blow over R-value 38 in flat ceiling area

Garage Ceiling:

When there is living space above

Basement Walls:

Cellulose CMS Panels with R-value 10

DRYWALL

Interior:

½" drywall, screwed and glued to framing, finished and sanded

smooth in all living areas.

Tub/Showers:

Water resistant drywall

GUTTERS & DOWNSPOUTS

Gutters:

Seamless pre-finished aluminum gutters and downspouts over

entrances and garage. Standard colors per color palettes

INTERIOR DOORS & TRIM

All Doors:

6' 8" x 1'3/8" six-panel colonist style masonite door

Shelving:

Vinyl-coated wire shelving installed per standard configuration

Casing:

3 1/4 " O.G. paint grade

Base:

4 " O.G. paint grade

Shoe molding:

Painted pine throughout vinyl and hardwood areas. Shoe

moldings to coordinate the color of the wood in the cabinet areas

FINISH HARDWARE

Front Door:

Single cylinder keyed entry set with "dead" bolt lock

Garage Door:

Single cylinder lock set

Interior:

Round knob style passage style handles on all swing doors

except baths and master bedroom. Privacy and/or dummy knob style handles on all bathroom, bedroom and closet doors. Ball

type pull handles on all bi-fold doors

Hinges:

Three per door – brushed nickel finish

Hardware:

All hardware in "brushed nickel" color finish

PAINTING & STAINING

Interior Walls & Ceilings:

One coat latex flat primer, one coat latex flat from Builder's

standard color; walls, ceiling and trim, one color

Interior Finish

One coat-enamel undercoat, one coat latex semi-gloss enamel

Woodwork & Doors:

coat to match color of walls and ceiling

Exterior Wood

Solid color Sherwin Williams paint stain or equivalent; one coat

Siding & Trim: from Builder's standard colors

Exterior Doors:

Solid color paint to match exterior trim

CABINETS

Aristocraft Oakland (oak) or Sinclair (birch) series or equivalent

cabinetry; standard configuration as shown on plans

COUNTERTOPS

Kitchen: Granite with under mount sink and pullout sprayer type

faucet. Main and Master Bath: Formica, Wilsonart or

equivalent brand laminate, from Builder's standard selections

square edge with 4" backsplash.

MIRRORS & SHOWER DOORS

Mirrors:

All vanities; 40" high, full vanity width, within 1" of wall;

(Powder room to have an oval mirror above pedestal sink)

Shower Doors:

Aluminum frame obscure glass, master bath shower stall only

FLOOR COVERINGS

Vinyl:

Linoleum flooring for all bathroom floors and laundry room

flooring from Builder's selections.

Carpet:

Shaw's Fastball or equivalent in one color over a 6 lb. re-bond

pad in all areas not covered with Vinyl and Wood.

Wood:

Wood engineered flooring from builder's selection in Kitchen,

Nook, Foyer and Great Room. 3" wide, 3/8" thick version

PLUMBING

Installation:

Pex water lines; drains, waste and vents to be CPVC. Waste plumbing lines may run below basement floors, under joists or hung along the basement walls. Location of plumbing waste lines and water meter will vary. Sump in basement and discharge

location will vary, one basement floor drain included

Service:

1" K-copper service into house

Hot Water Tank:

Direct vent gas 40 gallon water heater

Hose Bibs:

2 exterior frost-free bibs

Fixture Color:

All fixtures white as standard, with chrome faucets and handles

MASTER BATH

Lav:

ProFlo or equivalent 4" spread, self-rimming china oval

Toilet:

ProFlo or equivalent 2-piece round bowl

Lav Faucet:

Delta chrome finish

Tub Faucet:

Delta chrome finish roman tub set

Shower Faucet:

Delta single handle in chrome

Shower:

Aqua Glass or equivalent shower with walls, per plan

MAIN BATH

Tub/Shower:

Agua Glass or equivalent tub/shower combination with walls

Lavs:

ProFlo or equivalent 4" spread, self-rimming china oval

Toilet:

ProFlo or equivalent 2-piece round bowl

Tub/Shower:

Delta or equivalent single handle in chrome

Lay Faucets:

Delta in chrome finish

POWDER ROOM

Lav:

ProFlo or equivalent pedestal sink

Toilet: Lav Faucet: ProFlo or equivalent 2-piece round bowl

Delta in chrome finish

KITCHEN

Sink:

Elkay or equivalent double bowl stainless steel sink

Sink Faucet:

Delta single handle in chrome finish

Garbage Disposal:

ISE Badger I, 1/3 horsepower

Gas Line:

To range area

LAUNDRY

Connections for supply and waste in guy grey box for washing

machine. Gas line to dryer space

HEATING & COOLING:

Furnace:

Natural gas-fired 90% high efficiency direct vent Bryant or

equivalent forced air, electronic spark ignition furnace

Dryer Vent:

Installed to exterior, but not to be connected to appliance

Air Conditioning:

Sized to home

ELECTRICAL - PER PLANS INCLUDING:

Plugs:

Standard duplex

Switches:

Standard toggle

Bath Fans:

All baths, vented to exterior

Panel Size:

150-amp service

Smoke Detectors:

Hard-wire w/battery backup, one per bedroom per code

Exterior GFI plugs:

(2) locations per code

G.F.I. Circuits:

Per code requirements

Phone:

2 jacks with 4-wire per plan

Cable:

2 cable outlets per plan

Door Chime:

One included

Light Fixtures:

Builder's package

GRADING & TREE REMOVAL

Grading:

Builder shall grade lot to drain and meet municipality requirements. Finish grading for sod and landscaping is the purchaser's responsibility to be done after closing.

Trees:

Builder does not warrant or maintain natural trees on or near building envelope or site.

CONCRETE WALKS & DRIVES

Walks & Drive:

36" wide concrete walk from concrete drive to steps/porch, steps as required per grade.

SUBSTITUTE MATERIALS

Essex Custom Homes and Remodeling, LLC reserves the right to substitute materials of equal value, function and appearance. Every effort will be made to use the materials described. Please see the following Material Disclaimer.

Natural Products Disclaimer

I understand that the natural wood and stone products used in the construction of my home will have a variance in dye lot, grain and veining. I understand these inherent characteristics with respect to wood grain and colors are to be expected in all natural selections. Replacements will not be made due to such variations. The hard and soft parts of the wood absorb wood stains differently. Natural variations in grain, texture and color will occur. The variations are broad, but they are the beauty of natural wood. These variations may appear throughout the cabinetry, hardwood flooring and railings of my home. Specifically I understand this may occur on adjacent cabinets, between pairs of doors and/or drawers on the same cabinet or even within the same panels. Because granite, marble and limestone are also natural materials, no two pieces are alike. These products can be subject to variation in color and veining. The products in the selection center I used to make my selection are examples of typical color and texture. Therefore, my selection will not match the sample exactly.

Purchaser	Date '		
Purchaser	Date		